

*****DRAFT - NOT FOR FILING*****

4101:5-3-01 Accepted engineering practice and approved standards.

Unless otherwise specifically provided for in rules 4101:1-30-01 or 4101:5-1-01 to 4101:5-3-02 of the Administrative Code, compliance with the applicable technical provisions and requirements of the standards listed in "Table 4101:5-3-01" of the Administrative Code is prima facie evidence of conformity with accepted engineering practice or with an approved standard governing the design, construction, repair, alteration and maintenance of elevators.

Table 4101:5-3-01

<u>Authority</u> <u>Promulgating Agency</u> (Note a)	<u>Designation</u> <u>Standard</u> <u>Identification</u> (Note e)	Edition	Title
ASME	A 17.1 (Note b)	2010 <u>2016</u>	Safety Code for Elevators and Escalators
ASME	A17.3 (Note d <u>c</u>)	2008 <u>2015</u>	Safety Code for Existing Elevators and Escalators.
ASME	A17.6	2010	Standard for Elevator Suspension, Compensation, and Governor Systems
ASME	A17.7	2007	Performance-based Safety Code for Elevators and Escalators
<u>ASME</u>	<u>A17.8</u>	<u>2016</u>	<u>Standard for Wind Turbine Tower Elevators</u>
ASME	A18.1	2008 <u>2014</u>	Safety Standard for Platform Lifts and Stairway Chairlifts
ASME	A 90.1	2009 <u>2015</u>	Safety Standard for Belt Manlifts
<u>ESTA</u>	<u>E1.42</u>	<u>2016</u>	<u>Design, Installation, and Use of Orchestra Pit Lifts</u>
Note a	ASME means the "American Society of Mechanical Engineers" <u>and</u> <u>ESTA means the "Entertainment Services and Technology Association"</u>		
Note b	Section 2.2.2.5-delete the last sentence; Section 8.11.1.1.2(a)- change to read as follows: Periodic tests, as required in 8.6, are not		

*****DRAFT - NOT FOR FILING*****

Table 4101:5-3-01

	required to be witnessed by a general or special inspector.; Section 8.11.1.1.2(b)- change to read as follows: Periodic test reports shall be submitted to the division within five business days of the completion of the periodic test. The test reports shall be on forms prescribed by the superintendent and shall include the date and type of test(s) performed, detailed results of the test(s), and a statement as to any corrective action taken.
Note e	Where additional standards are referenced both in the "Ohio Building Code" and the standards referenced within this rule, the applicable edition of the standard shall be the edition referenced in rule 4101:1-35-01 of the Administrative Code
Note d <u>c</u>	The rules of the board shall not be retroactively applied to existing elevators that are not otherwise being altered or repaired. Portions of an elevator not altered and not affected by an alteration are not required to comply with the code requirements for a new elevator.